

The antenna with omni directional radiation

ANT-Omni-vehicle-1,2m

- Frequency range: 2400 - 2500 MHz
- Polarization: Linear, vertical
- Gain 4 dBi (cable loss included)

ANT-Omni-vehicle-1,2m

The antenna with omni directional radiation



The antenna ANT-Omni-vehicle-1,2m radiates omni directional and is particularly suitable for vehicle mounting. This antenna is waterproof and can therefore be used both indoors and outdoors.

Product description

the antenna has a gain of 5 dBi. Using its 1.2 m cable, it can be connected directly. If required, the cable can be extended with optionally available RTNC cables. With the help of an adapter to RSMA, this antenna can also be operated at devices with RSMA jack. For optimum operation, this antenna requires a metallic surface of at least 40 cm x 40 cm, such as a vehicle roof.

Features:

- VSWR < 1,5
- Connector: RTNC plug
- Hole diameter: 12mm
- Height: 95mm
- Depth: Approx. 15mm
- Color: Black



Antenna program

A lot of people think of wireless LAN only as a product for wireless communication. Just the next step in the revolution of communication. On the surface this might be right but Funkwerk looks way beyond the surface. Funkwerk does not offer just products, we offer solutions. Our solutions are made up of fine-tuned individual components developed to harmonise perfectly.

Our purpose and the purpose of our solutions is to empower you to work freely and independently. We want to restore the serenity that was so natural in your childhood. For a child's playground knows no bounds, no fences and no restrictions, just like the wireless playground we want to create for you, because child's playground is wireless.

Please find an antenna portfolio overview in the download area.

Variants

ANT-Omni-Vehicle-1,2m (600519)

Vehicle antenna, 2,4GHz, 5dBi, RTNC plug , 1.2m cable